

COLWIN MOTORCYCLES T/A C&C (KENT) LTD

25 Milton Road Sittingbourne ME10 3EX Phone: 01795 472 512

Keeway V-CRUISE 125 C 2025

REBEL HEARTS WITH TRUE CRUISER SOUL

£4,499 +OTR

from **£197.85** p/m



The authentic Rockstar Cruiser has arrived: the brand new KEEWAY V-CRUISE 125cc. Unmistakable for its edgy styling, powerful components, and vigorous V-twin engines at the centre.

 The Keeway V-Cruise 125 comes with a twin cylinder, liquid cooled four stroke engine with a displacement of 125cc. The V-Cruise has a rated output of 10.2kW (13.7 horsepower) at 8500rpm as well and a maximum torque of 14.4Nm at 6500rpm. There is also a 2 in to 1 exhaust system and a fuel tank that can hold a volume of 15 litres.

 The handling is taken care of by telescopic forks at the front and on the rear there is a telescopic spring oil damped coil. The front suspension stroke is 120mm and the rear shock absorber stroke is 42mm.

 The front brake features a 300mm slotted front disc and a radially mounted caliper to give more bite when suddenly braking. The rear is a similarly large disc as it comes in at a size of 240mm. The Keeway does not feature ABS, but it does features CBS braking which provides an extra layer of safety for the riders when having to suddenly brake.

 The weight of the V-Cruise is 140kg. The V-Cruise is 2.12 metres long, 1.05 metres tall (excluding the mirrors), the height of the seat is 0.69 metres tall and finally the bike is also 0.82 metres wide as well.

 The Keeway V-Cruise keeps the feel of a classic cruiser but to bring it to the modern world with a digital dashboard. The dashboard is strategically placed below the handlebars and is rather low profile. The round digital displays all the information needed and with an added amount of style. A circular RPM gauge brings in mind traditional analog instruments: an appropriate balance in layout to the large speedometer at centre accurate to the last digit.

 The V-Cruise 125cc is available in Black or Grey.

Engine

ENGINE TYPE V-twin-cylinder/4-stroke/6-valve	RATED OUTPUT 9.5kW/8500r/min	EXHAUST SYSTEM .	GEARBOX 6 Speed	BATTERY 12V11.2Ah
DISPLACEMENT 125cc	MAX. TORQUE 14.Nm/6500r/min	CERTIFICATION Euro 5	FINAL DRIVE Belt	STARTING Electric
BORE X STROKE ø42x45mm	LUBRICATION Pressure splash lubrication	ELECTRICAL SYSTEM EFI	IGNITION C.D.I	PRIMARY DRIVE .
COMPRESSION RATION 10.6:1	FUEL SUPPL Petrol	CLUTCH Wet multi-plate	COOLING SYSTEM Liquid Cooled	

Chassis

FRAME Double-cradle	FRONT SUSPENSION STROKE 115mm travel	REAR SUSPENSION Dual shock-absorber	REAR BRAKE 240mm Disc with CBS	REAR TYRE 150/80-15
FRONT SUSPENSION Upside-down telescopic forks,	FRONT BRAKE 300mm disc CBS	REAR SUSPENSION STROKE 46mm travel	FRONT TYRE 120/80-16	TAILLIGHT LAMP Led

Dimension

LENGTH 2070mm	HEIGHT 1010mm	UNLADEN WEIGHT 167kg	USABABLE TANK VOLUME 15L	SEAT HEIGHT 690mm
WIDTH 755mm	GROUND CLEARANCE 160mm	PERMITTED TOTAL WEIGHT 140kg	WHEELBASE 1410mm	

